20

25

1

5

10

key;

WHAT IS CLAIMED IS:

In a communication system having a terminal for receiving encrypted 1. content, the terminal being coupled to a storage media via an IEEE 1394 serial bus, a method for storing the encrypted content on the storage media, the method comprising:

> receiving the encrypted content via the IEEE 1394 bus; encrypting a first key for decrypting the encrypted content to form a second

combining the encrypted content with the second key to form a combined encrypted content stream; and

storing the combined encrypted content stream on the storage media.

- 2. The method of claim 1 further comprising retrieving the combined encrypted content stream from the storage media; decrypting the second key to obtain the first key; and decrypting the encrypted content with the first key to recover clear text content.
- A method for storing encrypted data on a storage media, the encrypted 3. data being decrypt-able with a first key, the method comprising: receiving a transmission of the encrypted data; encrypting the first key to form a second key; and forwarding the second key and the encrypted data.
- The method of claim 3 further comprising storing the second key and 4. the encrypted data on the storage media.
- 5. The method of claim 4 wherein storing the second key further comprises storing the second key within a header associated the encrypted data.
 - 6. The method of claim 4 further comprising retrieving the second key and the encrypted data; decrypting the second key to form the first key; and decrypting the encrypted data with the first key to form clear text.
 - 7. The method of claim 6 further comprising

- 2 encrypting the clear text using a third key to form combined encrypted data;
- 3 and
- 4 forwarding the combined encrypted data.